
Concussion Signs and Symptoms

Checklist



)
ng, memory loss, or seizures following the injury, or previou

DIRECTIONS:

Use this checklist to monitor students who come to your office with a head injury. Students should be monitored for a minimum of 30 minutes. Check for signs or symptoms when the student first arrives at your office, fifteen minutes later, and at the end of 30 minutes.

Students who experience one or more of the signs or symptoms of concussion after a bump, blow, or jolt to the head should be referred to a health care professional with experience in evaluating for concussion. For those instances when a parent is coming to take the student to a health care professional, observe the student for any new or worsening symptoms right before the student leaves. Send a copy of this checklist with the student for the health care professional to review.

OBSERVED SIGNS	0	15	30	
	MINUTES	MINUTES	MINUTES	Just prior to leaving
Appears dazed or stunned				
Is confused about events				
Repeats questions				
Answers questions slowly	THE			
Can't recall events <i>prior</i> to the hit, bump, or fall				
Can't recall events after the hit, bump, or fall				
Loses consciousness (even briefly)				
Shows behavior or personality changes				
Forgets class schedule or assignments				
PHYSICAL SYMPTOMS				
Headache or "pressure" in head				
Nausea or vomiting				
Balance problems or dizziness				
Fatigue or feeling tired				
Blurry or double vision				
Sensitivity to light				
Sensitivity to noise				201
Numbness or tingling				
Does not "feel right"				
COGNITIVE SYMPTOMS				
Difficulty thinking clearly				
Difficulty concentrating				
Difficulty remembering				
Feeling more slowed down				
Feeling sluggish, hazy, foggy, or groggy				
EMOTIONAL SYMPTOMS				
Irritable	11			
Sad				
More emotional than usual		18/21	1 34 V.	13
Nervous	T		=======================================	

To download this checklist in Spanish, please visit: www.cdc.gov/Concussion. Para obtener una copia electrónica de esta lista de síntomas en español, por favor visite: www.cdc.gov/Concussion.

Danger Signs	Additional Information About This Checklist:	
Danger Signs:		
Be alert for symptoms that worsen over time. The student should be seen in an emergency department right away if s/he has:	This checklist is also useful if a student appears to hav sustained a head injury outside of school or on a previ- school day. In such cases, be sure to ask the student	
 □ One pupil (the black part in the middle of the eye) larger than the other □ Drowsiness or cannot be awakened □ A headache that gets worse and does not go away □ Weakness, numbness, or decreased coordination □ Repeated vomiting or nausea □ Sturred speech □ Convulsions or seizures □ Difficulty recognizing people or places □ Increasing confusion, restlessness, or agitation □ Unusual behavior □ Loss of consciousness (even a brief loss of consciousness should be taken seriously) 	about possible sleep symptoms. Drowsiness, sleeping more or less than usual, or difficulty falling asleep may indicate a concussion. To maintain confidentiality and ensure privacy, this checklist is intended only for use by appropriate schoo professionals, health care professionals, and the student's parent(s) or guardian(s).	
		For a free tear-off pad with additional copies of this form, or for more information on concussion, visit: www.cdc.gov/Concussion .
	Resolution of Injury:	
Student returned to class		
Student sent home		
Student referred to health care professional	with experience in evaluating for concussion	
SIGNATURE OF SCHOOL PROFESSIONAL COMPLETING THIS FORM TITLE: COMMENTS:		



TENNESSEE PROTOCOL FOR RESPONSE OF SCHOOLS/COMMUNITY-BASED YOUTH ATHLETIC <u>ORGANIZATION REPRESENTATIVES</u> IF PLAYERS EXHIBIT SIGNS, SYMPTOMS OR BEHAVIORS CONSISTENT WITH A CONCUSSION DURING PRACTICE OR COMPETITION

- Coaches (employed or volunteer) and other persons in roles of authority shall remove any player that shows signs, symptoms or behaviors consistent with a concussion from the activity or competition.
- 2. The school/community-based youth athletic organization shall have the player examined by the school/community-based youth athletic organization's designated health care professional. If the designated health care professional determines that the student has not sustained a concussion, the player may return to the activity or competition.
- 3. The head coach shall be responsible for obtaining clearance from the school/ community-based youth athletic organization's designated health care professional.
- 4. If the school/community-based youth athletic organization does not have access to a designated health care-professional or if the school/community-based youth athletic organization's designated health care professional suspects that the athlete may have sustained a concussion, the only means for an athlete to return to practice or play is complete an evaluation by a licensed medical doctor, osteopathic physician or a clinical neuropsychologist with concussion training and present a signed "Concussion Return to Play" (RTP) clearance. Schools/community-based youth athletic organizations must keep this form on file for a period of three years.

Designated health care professionals – certified athletic trainer, licensed nurse practitioner, physician's assistant, medical doctor or osteopathic physician